ELSEVIER

International Journal of Mass Spectrometry 240 (2005) 327

International Journal of Mass Spectrometry

www.elsevier.com/locate/ijms

Author index Volume 240

Anderson, G.A., 195
Armentrout, P.B., 233

Baker, E.S., 183
Barran, P.E., 273
Blin-Simiand, N., 161
Boutalib, A., 1
Bowers, M.T., vii, 183, 221, 273

Campopiano, D.J., 273
Cavazzini, G., 17
Čermák, I., 139
Chen, Y., 291
Chernushevich, I.V., 101
Chitta, R., 213
Clarke, D.J., 273
Coakley, K.J., 107
Cotter, R.J., 169

Dorin, J.R., 273
Dutuit, O., 121

Eriksson, L.A., 37
Ferzoco, A., 183
Fiedorow, P., 7
Frański, R., 7

Gao, H., 291
Gerlich, D., 139
Gidden, J., 183
Gierczyk, B., 7
Gillig, K.J., 301
Govan, J.R.W., 273
Gross, M.L., 213
Gunsalus, R., 317
Guo, L., 149

Halliday, A.N., 27
Haratian, M., 1
Hayes, R., 317
Hung, F., 317

Iltchenko, S., 169

Jacobs, J.M., 195
Jin, Z.-h., 149
Jorand, F., 161

Kaltashov, I.A., 249
Kim, N., 317
Komives, E.A., 285

Langley, R.J., 273
Langridge-Smith, P.R.R., 273
Largo, A., 37
Leary, J.A., 291
Lee, J.K., 261
Leifer, A.M., 107
Liu, D., 221
Loboda, A.V., 101
Loo, J.A., 317
Loos, J., 121
Lopez, X., 37

Matxain, J.M., 37
Maxwell, A., 273
McLean, J.A., 301
Mercero, J.M., 37
Millar, R.P., 273
Moision, R.M., 233
Monroe, M.E., 195

Ogorzalek Loo, R.R., 317

Pasquiers, S., 161
Polfer, N.C., 273
Potter, E.-K., 27

Qian, W.-J., 195

Ramachandran, P., 317
Ruotolo, B.T., 301
Russell, D.H., 301

Savić, I., 139
Schröder, D., 121
Schroeder, G., 7
Schwarz, H., 121
Shen, Y., 195
Simons, D.S., 107
Smith, R.D., 195
Solimannejad, M., 1
Spötl, C., 27
Stirling, C.H., 27

Thissen, R., 121

Ugalde, J.M., 37

Vacher, J.R., 161

Wang, D., 169
Wiechert, U.H., 27
Wu, H.-s., 149
Wyttenbach, T., 221

Yang, Y., 317
Ye, S.J., 233
York, D.M., 37

Zhu, M.M., 213

doi:10.1016/S1387-3806(04)00586-X

ELSEVIER

International Journal of Mass Spectrometry 240 (2005) 329–331

International Journal of Mass Spectrometry

www.elsevier.com/locate/ijms

Subject index Volume 240

Ab initio
Ab initio molecular orbital investigation of $SiOH^+$–XH, $SiOH^+$–X_2 and $SiOH^+$–XY(YX) (X = Y = F, Cl and Br) proton-bond complexes, 1
Ab initio molecular orbital electronic structure theory
Theoretical methods that help understanding the structure and reactivity of gas phase ions, 37
Acidity
Insights into nucleic acid reactivity through gas-phase experimental and computational studies, 261
Adducts
Investigation of the mechanism of matrix adduct formation in MALDI at elevated pressure, 101
Adiabatic electron affinity
The aluminum phosphides Al_mP_n $(m + n = 2–5)$ and their anions: structures, electron affinities and vibrational frequencies, 149
Aldose–ketose isomers
Kinetic measurements of phosphoglucose isomerase and phospho mannose isomerase by direct analysis of phosphorylated aldose–ketose isomers using tandem mass spectrometry, 291
Alkali cations
Sequential bond energies of water to sodium glycine cation, 233
Amide $H/^2H$ exchange
Protein–protein interaction dynamics by amide $H/^2H$ exchange mass spectrometry, 285
Amino acids
Sequential bond energies of water to sodium glycine cation, 233
Ammonium group
Hydration of small peptides, 221
AMT
Ultra-sensitive, high throughput and quantitative proteomics measurements, 195
Archaea
Top-down, bottom-up, and side-to-side proteomics with virtual 2-D gels, 317
Association constant
PLIMSTEX: a novel mass spectrometric method for the quantification of protein–ligand interactions in solution, 213

Biopolymers
Ion mobility–mass spectrometry: a new paradigm for proteomics, 301
Bond dissociation energies
Sequential bond energies of water to sodium glycine cation, 233

Carbon clusters
Reactions of C_n $(n = 1–3)$ with ions stored in a temperature-variable radio-frequency trap, 139
Carboxylate group
Hydration of small peptides, 221
C_2D^+
Reactions of C_n $(n = 1–3)$ with ions stored in a temperature-variable radio-frequency trap, 139
C_3D^+
Reactions of C_n $(n = 1–3)$ with ions stored in a temperature-variable radio-frequency trap, 139
CD^+
Reactions of C_n $(n = 1–3)$ with ions stored in a temperature-variable radio-frequency trap, 139
CH activation
Competitive reactions and diastereoselective CH bond activation in the McLafferty rearrangement of photoionized 3-methyl valeramide, 121
Charge transfer
Ab initio molecular orbital investigation of $SiOH^+$–XH, $SiOH^+$–X_2 and $SiOH^+$–XY(YX) (X = Y = F, Cl and Br) proton-bond complexes, 1
Clusters
Investigation of the mechanism of matrix adduct formation in MALDI at elevated pressure, 101
C_n^+
Reactions of C_n $(n = 1–3)$ with ions stored in a temperature-variable radio-frequency trap, 139
Collisional cooling
Investigation of the mechanism of matrix adduct formation in MALDI at elevated pressure, 101
Conformational change
PLIMSTEX: a novel mass spectrometric method for the quantification of protein–ligand interactions in solution, 213
Conformations
Structural motifs of DNA complexes in the gas phase, 183
Coral
Uranium-series dating of corals in situ using laser-ablation MC-ICPMS, 27

Density functional theory
Theoretical methods that help understanding the structure and reactivity of gas phase ions, 37
The aluminum phosphides Al_mP_n $(m + n = 2–5)$ and their anions: structures, electron affinities and vibrational frequencies, 149
Distonic ions
Competitive reactions and diastereoselective CH bond activation in the McLafferty rearrangement of photoionized 3-methyl valeramide, 121
DNA
Structural motifs of DNA complexes in the gas phase, 183
Insights into nucleic acid reactivity through gas-phase experimental and computational studies, 261
Drift correction
Secondary ion mass spectrometry measurements of isotopic ratios: correction for time varying count rate, 107

ECD
Is it biologically relevant to measure the structures of small peptides in the gas-phase?, 273
Electron ionization
Fragmentation and skeletal rearrangements of products of the reaction between fluorobenzenes and bicyclic N-bases studied by electron ionization mass spectrometry, 7
Enzyme nucleobase
Insights into nucleic acid reactivity through gas-phase experimental and computational studies, 261

doi:10.1016/S1387-3806(04)00587-1

ESI-MS
PLIMSTEX: a novel mass spectrometric method for the quantification of protein–ligand interactions in solution, 213

Fluoronitroaniline derivatives
Fragmentation and skeletal rearrangements of products of the reaction between fluorobenzenes and bicyclic N-bases studied by electron ionization mass spectrometry, 7
Fragmentation pathways
Fragmentation and skeletal rearrangements of products of the reaction between fluorobenzenes and bicyclic N-bases studied by electron ionization mass spectrometry, 7
FT-ICR
Is it biologically relevant to measure the structures of small peptides in the gas-phase?, 273

Guanidinium group
Hydration of small peptides, 221
Guided ion beam mass spectrometry
Sequential bond energies of water to sodium glycine cation, 233

H/D exchange
PLIMSTEX: a novel mass spectrometric method for the quantification of protein–ligand interactions in solution, 213
Helix
Structural motifs of DNA complexes in the gas phase, 183
2-Heptanone
Electron impact ionisation cross-sections of 2-heptanone, 161
Hydration
Sequential bond energies of water to sodium glycine cation, 233
Protein–protein interaction dynamics by amide H/^{2}H exchange mass spectrometry, 285
Hydrogen exchange
Probing protein dynamics and function under native and mildly denaturing conditions with hydrogen exchange and mass spectrometry, 249

Immobilized pH gradient gels
Top-down, bottom-up, and side-to-side proteomics with virtual 2-D gels, 317
Interpolation
Secondary ion mass spectrometry measurements of isotopic ratios: correction for time varying count rate, 107
Ion mobility
Structural motifs of DNA complexes in the gas phase, 183
Is it biologically relevant to measure the structures of small peptides in the gas-phase?, 273
Ion mobility–mass spectrometry: a new paradigm for proteomics, 301
Ion mobility-mass spectrometry
Ion mobility–mass spectrometry: a new paradigm for proteomics, 301
Ion trap
Reactions of C_n (n = 1–3) with ions stored in a temperature-variable radio-frequency trap, 139
Ionisation cross-section
Electron impact ionisation cross-sections of 2-heptanone, 161
Ion-molecule reactions
Investigation of the mechanism of matrix adduct formation in MALDI at elevated pressure, 101
Ion-neutral complexes
Competitive reactions and diastereoselective CH bond activation in the McLafferty rearrangement of photoionized 3-methyl valeramide, 121
ISM molecules
Reactions of C_n (n = 1–3) with ions stored in a temperature-variable radio-frequency trap, 139
Isotope effects
Competitive reactions and diastereoselective CH bond activation in the McLafferty rearrangement of photoionized 3-methyl valeramide, 121
Isotope fractionation
A method for determining isotopic composition of elements by thermal ionization source mass spectrometry, 17
Isotope ratios
A method for determining isotopic composition of elements by thermal ionization source mass spectrometry, 17
Isotopic ratio
Secondary ion mass spectrometry measurements of isotopic ratios: correction for time varying count rate, 107

Kinetic measurements
Kinetic measurements of phosphoglucose isomerase and phosphomannose isomerase by direct analysis of phosphorylated aldose–ketose isomers using tandem mass spectrometry, 291

Laboratory astrochemistry
Reactions of C_n (n = 1–3) with ions stored in a temperature-variable radio-frequency trap, 139
Laser ablation
Uranium-series dating of corals in situ using laser-ablation MC-ICPMS, 27
LC–MS
Ultra-sensitive, high throughput and quantitative proteomics measurements, 195
Linear model
A method for determining isotopic composition of elements by thermal ionization source mass spectrometry, 17
Low and high temperature ion-molecule collisions
Reactions of C_n (n = 1–3) with ions stored in a temperature-variable radio-frequency trap, 139

MALDI
Investigation of the mechanism of matrix adduct formation in MALDI at elevated pressure, 101
MALDI-TOF mass spectrometry
Protein–protein interaction dynamics by amide H/^{2}H exchange mass spectrometry, 285
Mass spectrometry
A method for determining isotopic composition of elements by thermal ionization source mass spectrometry, 17
Competitive reactions and diastereoselective CH bond activation in the McLafferty rearrangement of photoionized 3-methyl valeramide, 121
Electron impact ionisation cross-sections of 2-heptanone, 161
Probing protein dynamics and function under native and mildly denaturing conditions with hydrogen exchange and mass spectrometry, 249
Ion mobility–mass spectrometry: a new paradigm for proteomics, 301
MC-ICPMS
Uranium-series dating of corals in situ using laser-ablation MC-ICPMS, 27
Methanosarcina acetivorans
Top-down, bottom-up, and side-to-side proteomics with virtual 2-D gels, 317

NBO
Ab initio molecular orbital investigation of $SiOH^+$–XH, $SiOH^+$–X_2 and $SiOH^+$–XY(YX) (X = Y = F, Cl and Br) proton-bond complexes, 1
Nucleic acids
Insights into nucleic acid reactivity through gas-phase experimental and computational studies, 261

Peptide conformation
Hydration of small peptides, 221
Peptides
Is it biologically relevant to measure the structures of small peptides in the gas-phase?, 273

Phosphoglucose isomerase
Kinetic measurements of phosphoglucose isomerase and phospho mannose isomerase by direct analysis of phosphorylated aldose–ketose isomers using tandem mass spectrometry, 291
Phosphomannose isomerase
Kinetic measurements of phosphoglucose isomerase and phosphomannose isomerase by direct analysis of phosphorylated aldose–ketose isomers using tandem mass spectrometry, 291
Protein conformation
Probing protein dynamics and function under native and mildly denaturing conditions with hydrogen exchange and mass spectrometry, 249
Protein dynamics
Probing protein dynamics and function under native and mildly denaturing conditions with hydrogen exchange and mass spectrometry, 249
Protein folding
Probing protein dynamics and function under native and mildly denaturing conditions with hydrogen exchange and mass spectrometry, 249
Protein interface
Protein–protein interaction dynamics by amide H/^{2}H exchange mass spectrometry, 285
Protein–ligand interaction
PLIMSTEX: a novel mass spectrometric method for the quantification of protein–ligand interactions in solution, 213
Proteomic measurements
Ultra-sensitive, high throughput and quantitative proteomics measurements, 195
Proteomics
Ion mobility–mass spectrometry: a new paradigm for proteomics, 301
Top-down, bottom-up, and side-to-side proteomics with virtual 2-D gels, 317
Proton affinity
Insights into nucleic acid reactivity through gas-phase experimental and computational studies, 261
Proton transfer
Reactions of C_n (n = 1–3) with ions stored in a temperature-variable radio-frequency trap, 139
Proton-bond complexes
Ab initio molecular orbital investigation of $SiOH^+$–XH, $SiOH^+$–X_2 and $SiOH^+$–XY(YX) (X = Y = F, Cl and Br) proton-bond complexes, 1

Quantum Monte Carlo theory
Theoretical methods that help understanding the structure and reactivity of gas phase ions, 37

RNA
Insights into nucleic acid reactivity through gas-phase experimental and computational studies, 261

Secondary ion mass spectrometry
Secondary ion mass spectrometry measurements of isotopic ratios: correction for time varying count rate, 107
Stability
Ab initio molecular orbital investigation of $SiOH^+$–XH, $SiOH^+$–X_2 and $SiOH^+$–XY(YX) (X = Y = F, Cl and Br) proton-bond complexes, 1
Steric effects
Competitive reactions and diastereoselective CH bond activation in the McLafferty rearrangement of photoionized 3-methyl valeramide, 121
Sulfonation
The curved-field reflectron: PSD and CID without scanning, stepping or lifting, 169
Surface hopping
Theoretical methods that help understanding the structure and reactivity of gas phase ions, 37

Tandem
The curved-field reflectron: PSD and CID without scanning, stepping or lifting, 169
Tandem mass spectrometry
Kinetic measurements of phosphoglucose isomerase and phosphomannose isomerase by direct analysis of phosphorylated aldose–ketose isomers using tandem mass spectrometry, 291
Temporal variation
Secondary ion mass spectrometry measurements of isotopic ratios: correction for time varying count rate, 107
Thermal ionization
A method for determining isotopic composition of elements by thermal ionization source mass spectrometry, 17
Time dependent density functional theory
Theoretical methods that help understanding the structure and reactivity of gas phase ions, 37
Time-of-flight
The curved-field reflectron: PSD and CID without scanning, stepping or lifting, 169
TOF/TOF
The curved-field reflectron: PSD and CID without scanning, stepping or lifting, 169
Two-state reactivity
Theoretical methods that help understanding the structure and reactivity of gas phase ions, 37

Uncertainty analysis
Secondary ion mass spectrometry measurements of isotopic ratios: correction for time varying count rate, 107
U-series dating
Uranium-series dating of corals in situ using laser-ablation MC-ICPMS, 27

Vertical detachment energy
The aluminum phosphides Al_mP_n ($m + n$ = 2–5) and their anions: structures, electron affinities and vibrational frequencies, 149
Vertical electron affinity
The aluminum phosphides Al_mP_n ($m + n$ = 2–5) and their anions: structures, electron affinities and vibrational frequencies, 149
Vibrational frequencies
The aluminum phosphides Al_mP_n ($m + n$ = 2–5) and their anions: structures, electron affinities and vibrational frequencies, 149
Virtual 2-D gel electrophoresis
Top-down, bottom-up, and side-to-side proteomics with virtual 2-D gels, 317
VOC decomposition
Electron impact ionisation cross-sections of 2-heptanone, 161

Water binding energy
Hydration of small peptides, 221
Water binding site
Hydration of small peptides, 221

Zwitterion
Hydration of small peptides, 221